Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-225-2568

# Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-100.0 to 100.0 first temp coefficient

## **Electrical Resistance:**

68.000 kilohms 3rd intermediate resistance value

# **Resistance Tolerance In Percent:**

-2.000 to 2.000 each resistor

# Ambient Tempurature In Deg Celsius At Full Rated Power:

## 70.0

## Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

150.0

## Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0 to 150.0 temp range of first temp coefficient

#### **Inclosure Method:**

Encapsulated

## **Terminal Quantity:**

8

## \_ . . \_

Terminal Type:

Pin

## **Reliability Indicator:**

Not established

## **Terminal Length:**

0.125 inches

## Body Length:

0.790 inches

#### **Body Width:**

0.100 inches

## **Body Height:**

0.200 inches

## **Power Dissipation Rating In Watts:**

0.125 total network

#### **End Application:**

Sincgars-v

#### **Identical Value Resistor Quantity:**

2 lowest resistance value

## Style Designator:

Single inline

## **Test Data Document:**

80063-a3012859 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,

etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# Shelf Life:

N/a

## Unit Of Measure:

# NSN 5905-01-225-2568

Film Fixed Resistor Network - Page 2 of 2

Demilitarization:

No

Fiig:

A001a0

