## NSN 5905-01-225-3379

Film Fixed Resistor Network - Page 1 of 1



| view Online at https://aerobasegroup.com/nsn/5905-01-225-3579   |
|---|
| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:   |
| -200.0 to 200.0 first temp coefficient  |
| Electrical Resistance:  |
| 3.300 kilohms 1st intermediate resistance value   |
| Resistance Tolerance In Percent:  |
| -3.000 to 3.000 each resistor   |
| Ambient Tempurature In Deg Celsius At Full Rated Power:   |
| 70.0  |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:   |
| 150.0   |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius:  |
| -55.0 to 150.0 temp range of first temp coefficient   |
| Inclosure Method:   |
| Encapsulated  |
| Terminal Quantity:  |
| 9   |
| Terminal Type:  |
| Pin   |
| Reliability Indicator:  |
| Not established   |
| Terminal Length:  |
| 0.125 inches  |
| Body Length:  |
| 0.890 inches  |
| Body Width:   |
| 0.100 inches  |
| Body Height:  |
| 0.320 inches  |
| Identical Value Resistor Quantity:  |
| 2 2nd intermediate resistance value   |
| Style Designator:   |
| Single inline   |
| Test Data Document:   |
| 80063-a3012860 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, |
| etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)                   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiig:   |

A001a0