

View Online at https://aerobasegroup.com/nsn/5905-01-229-1379

### Section Quantity:

1

Body Style:

Rectangular

## Reliability Indicator:

Not established

### **Overall Length:**

0.630 inches

### Terminal Length:

0.250 inches

#### **Overall Height:**

0.375 inches

#### **Overall Width:**

0.190 inches

#### Shaft Diameter:

### 0.090 inches

Shaft Length:

#### 0.060 inches

Body Length:

## 0.395 inches

Body Width:

0.190 inches

### Body Height:

0.375 inches

#### Shaft Style:

Round, slotted

### Shaft Bearing Type:

Bearing

### Actuator Type:

Single shaft

## Effective Electrical Rotation In Deg Angular Rotation:

9000.0

### Maximum Starting Torque:

3.00 inch-ounces

## Maximum Running Torque:

3.00 inch-ounces

## Center To Center Distance Between Terminals:

0.200 inches

## Fragility Factor:

Moderately rugged

# End Application:

F/tf-15a acft



**Terminal Location:** Rear end **Mounting Method:** Terminal **Cubic Measure:** 0.045 cubic inches **Electrical Resistance Per Section:** 100.000 kilohms single section **Rotary Actuator Travel In Angular Deg:** 9000.0 Center To Center Distance Between Center Terminal And Outside Terminal: 0.100 inches Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power: 125.0 single section Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius: -100.0 to 100.0 single section **Power Dissipation Rating Per Section In Watts:** 0.5 free air single section **Resistance Tolerance Per Section In Percent:** -10.0 to 10.0 single section **Actuator Travel Control Feature:** Stops Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 70.0 single section **Standard Taper Curve Per Section:** A single section **Terminal Type And Quantity:** 3 pin Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A002a0