

View Online at <https://aerobasegroup.com/nsn/5905-01-231-1294>

Temperature Coefficient Of Resistance In Ppm Per Deg Celsius:

-50.0 to 50.0 first temp coefficient

Electrical Resistance:

100.000 kilohms each resistor

Resistance Tolerance In Percent:

-1.000 to 1.000 each resistor

Ambient Temperature In Deg Celsius At Full Rated Power:

70.0

Ambient Temperature In Deg Celsius At Zero Percent Rated Power:

125.0

Temperature Range Of Temperature Coefficient In Deg Celsius:

-55.0 to 125.0 temp range of first temp coefficient

Inclosure Method:

Hermetically sealed

Terminal Quantity:

16

Terminal Type:

Pin

Mil-std-1276 Wire Lead Type Designator:

K

Reliability Indicator:

Not established

Terminal Length:

0.250 inches

Body Length:

0.250 inches

Body Width:

0.390 inches

Body Height:

Between 0.050 inches and 0.070 inches

Schematic Diagram Designator:

Isolated array

Power Dissipation Rating In Watts:

0.125 total network

Err Default:

Between 0.016 inches and 0.018 inches

End Application:

F/tf-15a acrf

Identical Value Resistor Quantity:

8 each resistor

Precious Material And Location:

Bonding wire gold and terminal surfaces gold

Style Designator:

Flat pack

Test Data Document:

82577-955234 standard (includes industry or association standards, individual manufactureer standards, etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0