## NSN 5905-01-231-8231

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-231-8231

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-100.0 to 100.0 first temp coefficient
Electrical Resistance:
4.700 kilohms each resistor
Resistance Tolerance In Percent:
-2.000 to 2.000 each resistor
Ambient Tempurature In Deg Celsius At Full Rated Power:
70.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
125.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0 to 125.0 temp range of first temp coefficient
Inclosure Method:
Encapsulated
Terminal Quantity:
8
Terminal Type:
Pin
Reliability Indicator:
Not established
Terminal Length:
0.135 inches
Body Length:
0.783 inches
Body Width:
0.074 inches
Body Height:
0.187 inches
Schematic Diagram Designator:
Ladder network
Power Dissipation Rating In Watts:
0.840 total network
End Application:
Alq176 mlv
Identical Value Resistor Quantity:
7 each resistor
Unpackaged Unit Weight:
1.5 grams
Style Designator:
Single inline
Test Data Document:

81349-mil-r-83401 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## NSN 5905-01-231-8231

Film Fixed Resistor Network - Page 2 of 2



Sı	pecif	icatio	n Data:
----	-------	--------	---------

81349-mil-r-83401/8 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A001a0