NSN 5905-01-235-6426

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-235-6426

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: |
|--|
| -100.0/+100.0 |
| Electrical Resistance: |
| 2.700 kilohms |
| Resistance Tolerance In Percent: |
| -2.000/+2.000 |
| Ambient Tempurature In Deg Celsius At Full Rated Power: |
| 70.0 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 125.0 |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius: |
| -55.0/+125.0 |
| Inclosure Method: |
| Encapsulated |
| Terminal Quantity: |
| 16 |
| Terminal Type: |
| Tab, solder lug |
| Reliability Indicator: |
| Not established |
| Terminal Length: |
| |
| 0.165 inches |
| - |
| 0.165 inches |
| 0.165 inches Body Length: |
| 0.165 inches Body Length: 0.860 inches |
| 0.165 inches Body Length: 0.860 inches Body Width: |
| 0.165 inches Body Length: 0.860 inches Body Width: 0.260 inches |
| 0.165 inches Body Length: 0.860 inches Body Width: 0.260 inches Body Height: |
| 0.165 inches Body Length: 0.860 inches Body Width: 0.260 inches Body Height: 0.190 inches |
| 0.165 inches Body Length: 0.860 inches Body Width: 0.260 inches Body Height: 0.190 inches Schematic Diagram Designator: Ladder network |
| 0.165 inches Body Length: 0.860 inches Body Width: 0.260 inches Body Height: 0.190 inches Schematic Diagram Designator: |
| 0.165 inches Body Length: 0.860 inches Body Width: 0.260 inches Body Height: 0.190 inches Schematic Diagram Designator: Ladder network Power Dissipation Rating In Watts: |
| 0.165 inches Body Length: 0.860 inches Body Width: 0.260 inches Body Height: 0.190 inches Schematic Diagram Designator: Ladder network Power Dissipation Rating In Watts: 1.500 total network |
| 0.165 inches Body Length: 0.860 inches Body Width: 0.260 inches Body Height: 0.190 inches Schematic Diagram Designator: Ladder network Power Dissipation Rating In Watts: 1.500 total network Terminal Width: 0.021 inches |
| 0.165 inches Body Length: 0.860 inches Body Width: 0.260 inches Body Height: 0.190 inches Schematic Diagram Designator: Ladder network Power Dissipation Rating In Watts: 1.500 total network Terminal Width: 0.021 inches Identical Value Resistor Quantity: |
| 0.165 inches Body Length: 0.860 inches Body Width: 0.260 inches Body Height: 0.190 inches Schematic Diagram Designator: Ladder network Power Dissipation Rating In Watts: 1.500 total network Terminal Width: 0.021 inches Identical Value Resistor Quantity: 2 highest resistance value |
| 0.165 inches Body Length: 0.860 inches Body Width: 0.260 inches Body Height: 0.190 inches Schematic Diagram Designator: Ladder network Power Dissipation Rating In Watts: 1.500 total network Terminal Width: 0.021 inches Identical Value Resistor Quantity: |
| 0.165 inches Body Length: 0.860 inches Body Width: 0.260 inches Body Height: 0.190 inches Schematic Diagram Designator: Ladder network Power Dissipation Rating In Watts: 1.500 total network Terminal Width: 0.021 inches Identical Value Resistor Quantity: 2 highest resistance value Style Designator: |
| 0.165 inches Body Length: 0.860 inches Body Width: 0.260 inches Body Height: 0.190 inches Schematic Diagram Designator: Ladder network Power Dissipation Rating In Watts: 1.500 total network Terminal Width: 0.021 inches Identical Value Resistor Quantity: 2 highest resistance value Style Designator: Dual inline |

--

NSN 5905-01-235-6426

Film Fixed Resistor Network - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0