View Online at https://aerobasegroup.com/nsn/5905-01-238-7720

Inductive Wire Wound Fixed Resistor - Page 1 of 2

## **Electrical Resistance:**

90.900 ohms

**Resistance Tolerance In Percent:** 

-1.000/+1.000

Ambient Tempurature In Deg Celsius At Full Rated Power:

25.0

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

#### 275.0

**Inclosure Method:** 

Encapsulated

**Terminal Type:** 

Tab, solder lug

**Reliability Indicator:** 

Established

Reliability Failure Rate Level In Percent:

0.001

#### Terminal Length:

Between 0.376 inches and 0.500 inches

## **Body Length:**

Between 1.876 inches and 2.000 inches

## **Body Width:**

Between 0.532 inches and 0.656 inches

# **Body Height:**

Between 0.594 inches and 0.656 inches

# Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 1.552 inches and 1.572 inches

# **Power Dissipation Rating In Watts:**

10.000 free air

#### Mounting Hole Size:

Between 0.120 inches and 0.130 inches

#### Style Designator:

Axial terminal (s)

# Test Data Document:

81349-mil-r-39009 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-r-39009/1 government specification

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

# NSN 5905-01-238-7720

Inductive Wire Wound Fixed Resistor - Page 2 of 2

Fiig: A001a0

