

View Online at <https://aerobasegroup.com/nsn/5905-01-239-5705>

Electrical Resistance:

10.0 kilohms and 22.0 kilohms and 620.0 ohms and 10.0 kilohms and 182.0 kilohms and 19.0 kilohms and 21.0 kilohms

Resistance Tolerance In Percent:

-2.0/+2.0 and -2.0/+2.0 and -2.0/+2.0 and -1.0/+1.0 and -1.0/+1.0 and -1.0/+1.0 and -1.0/+1.0

Terminal Quantity:

2 and 2 and 2 and 2 and 2 and 2 and 2

Terminal Type:

Wire lead and wire lead and wire lead and wire lead and wire lead and wire lead and wire lead

Resistor Power Dissipation Rating In Watts:

0.25 and 0.25 and 0.25 and 0.25 and 0.25 and 0.25 and 0.25

Mounting Method:

Solder

Component Quantity:

1 and 1 and 1 and 1 and 1 and 1 and 1

Mounting Configuration:

Spaces even for 8 resistors bottom to top, space 5 not used

Component Controlling Agency:

Northrop corp; northrop corp; northrop corp; northrop corp; northrop corp; northrop corp; northrop corp

Component Name:

Fixed film resistor; fixed film resistor; fixed film resistor; fixed film resistor; fixed film resistor; fixed film resistor; fixed film resistor

Component Identifying Number:

Rlr07c1002gm part no. And rlr07c2202gm part no. And rlr07c6201gm part no. And rnc60h1002fr part no. And rnc60h1823fr part no. And rnc60h1912fr part no. And rnc60h2102fr part no.

Assembly Construction Method:

Mounted on socket

Component Relationship:

Not matched

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T172-f