Inductive Wire Wound Fixed Resistor - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5905-01-241-1741

# Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-20.0/+20.0

## **Electrical Resistance:**

1.820 kilohms

## **Resistance Tolerance In Percent:**

-1.000/+1.000

## Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 25.0

# Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

275.0

# Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0/+275.0

## Inclosure Method:

Encapsulated

## Terminal Type:

Wire lead

# Reliability Indicator:

Established

# Reliability Failure Rate Level In Percent:

0.001

## **Terminal Length:**

1.500 inches

#### Body Diameter:

Between 0.344 inches and 0.406 inches

#### **Body Length:**

Between 1.718 inches and 1.842 inches

#### **Power Dissipation Rating In Watts:**

10.000 free air

#### Cubic Measure (non-core):

0.197 cubic inches

#### Unpackaged Unit Weight:

12.0 grams

#### Style Designator:

Axial terminal each end

# Test Data Document:

81349-mil-r-39007 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# Specification Data:

81349-mil-r-39007/7 government specification

## Shelf Life:

N/a

## Unit Of Measure:





Inductive Wire Wound Fixed Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0