NSN 5905-01-242-1769

Noninductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-242-1769

Townsurature Coefficient Of Resistance In Dam Box Don Coloine.					
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:					
-30.0/+30.0					
Electrical Resistance:					
118.000 ohms					
Resistance Tolerance In Percent:					
-1.000/+1.000					
Ambient Tempurature In Deg Celsius At Full Rated Power:					
25.0					
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:					
275.0					
Tempurature Range Of Tempurature Coefficient In Deg Celsius:					
-55.0/+275.0					
Inclosure Method:					
Encased					
Terminal Type:					
Tab, solder lug					
Reliability Indicator:					
Established					
Reliability Failure Rate Level In Percent:					
0.010					
Terminal Length:					
0.312 inches					
Body Length:					
0.750 inches					
Body Width:					
0.438 inches					
Body Height:					
0.406 inches					
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:					
0.562 inches					
Power Dissipation Rating In Watts:					
6.000 free air					
Terminal Width:					
0.140 inches					
End Application:					
Indicator sys					
Mounting Hole Size:					
0.094 inches					
Unpackaged Unit Weight:					
8.8 grams					
Style Designator:					

Axial terminal (s)

NSN 5905-01-242-1769

Noninductive Wire Wound Fixed Resistor - Page 2 of 2



Test Data Document:

81349-mil-r-39009 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

Q	13/10	_mil_r_	30000/2	government	specification
o	1043	-111111-1-	39009/Z	uoverrinerii	Specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0