NSN 5905-01-242-9375

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-242-9375

| view Offiline at https://derobasegroup.com/nsi//0905-01-242-9575 |
|------------------------------------------------------------------|
| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: |
| -300.0/+300.0 |
| Electrical Resistance: |
| 6.200 kilohms |
| Resistance Tolerance In Percent: |
| -2.000/+2.000 |
| Ambient Tempurature In Deg Celsius At Full Rated Power: |
| 70.0 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 125.0 |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius: |
| +0.0/+60.0 |
| Inclosure Method: |
| Encapsulated |
| Terminal Quantity: |
| 10 |
| Terminal Type: |
| Pin |
| Reliability Indicator: |
| Not established |
| Terminal Length: |
| 0.130 inches |
| Body Length: |
| 0.990 inches |
| Body Width: |
| 0.090 inches |
| Body Height: |
| 0.350 inches |
| Schematic Diagram Designator: |
| Ladder network |
| Power Dissipation Rating In Watts: |
| 0.125 each resistor |
| Terminal Width: |
| 0.016 inches |
| End Application: |
| Portable a t |
| Identical Value Resistor Quantity: |
| 9 each resistor |
| Unpackaged Unit Weight: |
| 1.1 grams |
| Style Designator: |

Single inline

NSN 5905-01-242-9375

Film Fixed Resistor Network - Page 2 of 2



| She | lf | Life: | |
|------|----|-------|--|
| Oile | •• | LIIV. | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0