NSN 5905-01-242-9378

Precision Wire Wound Variable Resistor - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5905-01-242-9378

Section Quantity:
1
Body Style:
Rectangular bushing mounted
Reliability Indicator:
Not established
Overall Length:
1.613 inches
Overall Height:
1.635 inches
Overall Width:
0.645 inches
Shaft Diameter:
0.126 inches
Shaft Length:
0.843 inches
Mounting Bushing Length:
0.380 inches
Body Length:
0.770 inches
Body Width:
0.645 inches
Body Height:
0.645 inches
Shaft Style:
Round, slotted
Shaft Bearing Type:
Sleeve
Actuator Type:
Single shaft
Effective Electrical Rotation In Deg Angular Rotation:
1800.0
Maximum Starting Torque:
2.00 inch-ounces
Maximum Running Torque:
2.00 inch-ounces
Maximum Stop Torque:
48.00 inch-ounces
Shaft End Play:
0.01400 inches
Shaft Runout:
0.006 inches

NSN 5905-01-242-9378

Precision Wire Wound Variable Resistor - Page 2 of 3



Shaft Radial Play:
0.005 inches
Fragility Factor:
Moderately rugged
End Application:
Portable a t
Screw Thread Diameter:
0.250 inches
Screw Thread Series Designator:
Unef
Screw Thready Qty Per Inch (tpi):
32.0
Terminal Location:
Lower adjacent side two rows
Mounting Method:
Standard bushing
Cubic Measure:
1.701 cubic inches
Electrical Resistance Per Section:
2.500 percent, rated amperes c and better flooring
Function Conformity Tolerance Per Section:
-0.15/+0.15 single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
125.0 single section
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:
-50.0/+50.0 single section
Power Dissipation Rating Per Section In Watts:
0.5 7th secondary quality
Function Conformity Per Section:
Single section independent linearity
Resistance Tolerance Per Section In Percent:
-5.0/+5.0 single section
Actuator Travel Control Feature:
Stops
Function Characteristic Per Section:
7 oclock all primaries
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
70.0 single section
Terminal Type And Quantity:
3 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:

-

NSN 5905-01-242-9378

Precision Wire Wound Variable Resistor - Page 3 of 3



Demilitarization:

No

Fiig:

A002a0