NSN 5905-01-243-4021

Film Fixed Resistor - Page 1 of 2

Test Data Document:



View Online at https://aerobasegroup.com/nsn/5905-01-243-4021

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-5.0/+5.0 first temp coefficient
Electrical Resistance:
29.890 kilohms
Resistance Tolerance In Percent:
-0.100/+0.100
Ambient Tempurature In Deg Celsius At Full Rated Power:
125.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
175.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+125.0 temp range of first temp coefficient
Inclosure Method:
Encapsulated
Terminal Type:
Wire lead
Reliability Indicator:
Established
Reliability Failure Rate Level In Percent:
1.000
Terminal Length:
0.875 inches
Body Length:
0.295 inches
Body Width:
0.100 inches
Body Height:
0.320 inches
Power Dissipation Rating In Watts:
0.300 free air
End Application:
Mk-48 torpedo
Cubic Measure (non-core):
0.010 cubic inches
Special Features:
Burn-in required
Unpackaged Unit Weight:
1.0 grams
Style Designator:
Terminals one edge

53711-5529383 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

NSN 5905-01-243-4021

Film Fixed Resistor - Page 2 of 2



_			-		
C	hο	14		.ife	
•			_	.II C	-

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0