## NSN 5905-01-246-0420

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-246-0420

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:   |
|---|
| -100.0/+100.0   |
|   |
| Electrical Resistance:  |
| 1.200 kilohms   |
| Resistance Tolerance In Percent:                                |
| -5.000/+5.000   |
| Ambient Tempurature In Deg Celsius At Full Rated Power:         |
| 30.0  |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 150.0   |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius:    |
| -55.0/+150.0  |
| Inclosure Method:   |
| Encapsulated  |
| Terminal Quantity:  |
| 14  |
| Terminal Type:  |
| Pin   |
| Reliability Indicator:  |
| Not established   |
| Terminal Length:  |
| 0.250 inches  |
| Body Length:  |
| 0.250 inches  |
| Body Width:   |
| 0.260 inches  |
| Body Height:  |
| 0.055 inches  |
| Schematic Diagram Designator:                                   |
| Ladder network  |
| Power Dissipation Rating In Watts:                              |
| 1.360 total network   |
| End Application:  |
| Mk 105 mine s   |
| Identical Value Resistor Quantity:                              |
| 13 each resistor  |
| Style Designator:   |
| Flat pack   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |

--

## NSN 5905-01-246-0420

Film Fixed Resistor Network - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0