## NSN 5905-01-247-3022

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-247-3022				
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:				
-50.0/+50.0				
Electrical Resistance:				
4.700 kilohms				
Resistance Tolerance In Percent:				
-2.000/+2.000				
Ambient Tempurature In Deg Celsius At Full Rated Power:				
70.0				
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:				
125.0				
Tempurature Range Of Tempurature Coefficient In Deg Celsius:				
-55.0/+125.0				
Inclosure Method:				
Encapsulated				
Terminal Quantity:				
16				
Terminal Type:				
Tab, solder lug				
Reliability Indicator:				
Not established				
Terminal Length:				
Between 0.145 inches and 0.215 inches				
Body Length:				
0.830 inches				
Body Width:				
0.270 inches				
Body Height:				
0.135 inches				
Schematic Diagram Designator:				
Ladder network				
Power Dissipation Rating In Watts:				
1.500 total network				
Terminal Width:				
Between 0.015 inches and 0.022 inches				
End Application:				
5895-01-174-7384 indicator, status				
Identical Value Resistor Quantity:				
15 each resistor				
Unpackaged Unit Weight:				
1.5 grams				
Style Designator:				

Dual inline

## NSN 5905-01-247-3022

Film Fixed Resistor Network - Page 2 of 2



## **Test Data Document:**

81349-mil-r-83401 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

	81349-mil-r-83401/2	government s	specification
--	---------------------	--------------	---------------

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A001a0