NSN 5905-01-252-2799

Film Fixed Resistor - Page 1 of 2

Unit Of Measure:



View Online at https://aerobasegroup.com/nsn/5905-01-252-2799

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-3.0 to 3.0
Electrical Resistance:
2.136 kilohms
Resistance Tolerance In Percent:
-0.010 to 0.010
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
175.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0 to 125.0
Inclosure Method:
Encapsulated
Terminal Type:
Wire lead
Reliability Indicator:
Not established
Terminal Length:
0.875 inches
Body Length:
0.312 inches
Body Width:
0.336 inches
Body Height:
0.115 inches
Power Dissipation Rating In Watts:
0.300 free air
End Application:
Forrestal class cv; wasp class lhd; tarawa class lha; nimitz class cvn; kidd class ddg; spruance class dd (963); 2m/atc microminiature
automatic test equipment
Criticality Code Justification:
Feat
Special Features:
Weapon system essential
Style Designator:
Terminals one edge
Test Data Document:
06481-912124 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Shelf Life:
N/a

NSN 5905-01-252-2799

Film Fixed Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0