## NSN 5905-01-253-0006

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-253-0006

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:   |
|---|
| -100.0/+100.0   |
| Electrical Resistance:  |
| 4.301 kilohms   |
| Resistance Tolerance In Percent:                                |
| -5.000/+5.000   |
| Ambient Tempurature In Deg Celsius At Full Rated Power:         |
| 70.0  |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 125.0   |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius:    |
| -55.0/+125.0  |
| Inclosure Method:   |
| Encapsulated  |
| Terminal Quantity:  |
| 14  |
| Terminal Type:  |
| Tab, solder lug   |
| Reliability Indicator:  |
| Not established   |
| Terminal Length:  |
| 0.215 inches  |
| Body Length:  |
| 0.740 inches  |
| Body Width:   |
| 0.270 inches  |
| Body Height:  |
| 0.135 inches  |
| Schematic Diagram Designator:                                   |
| Ladder network  |
| Power Dissipation Rating In Watts:                              |
| 1.300 total network   |
| Terminal Width:   |
| 0.022 inches  |
| Identical Value Resistor Quantity:                              |
| 13 each resistor  |
| Unpackaged Unit Weight:   |
| 1.5 grams   |
| Style Designator:   |
| Dual inline   |
| Test Data Document:   |

81349-mil-r-83401 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## NSN 5905-01-253-0006

Film Fixed Resistor Network - Page 2 of 2



| Spec | ifica | ation | Data: |
|------|-------|-------|-------|
|------|-------|-------|-------|

81349-mil-r-83401/1 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A001a0