## NSN 5905-01-254-5988

Film Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-254-5988						
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:						
-5.0/+5.0 first temp coefficient						
Electrical Resistance:						
374.000 ohms						
Resistance Tolerance In Percent:						
-0.100/+0.100						
Ambient Tempurature In Deg Celsius At Full Rated Power:						
125.0						
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:						
175.0						
Tempurature Range Of Tempurature Coefficient In Deg Celsius:						
-55.0/+125.0 temp range of first temp coefficient						
Inclosure Method:						
Encapsulated						
Terminal Type:						
Wire lead						
Mil-std-1276 Wire Lead Type Designator:						
C						
Reliability Indicator:						
Established						
Reliability Failure Rate Level In Percent:						
0.010						
Terminal Length:						
1.905 inches						
Body Length:						
0.310 inches						
Body Width:						
0.320 inches						
Body Height:						
0.110 inches						
Power Dissipation Rating In Watts:						
0.300 free air						
Cubic Measure (non-core):						
0.013 cubic inches						
Unpackaged Unit Weight:						
1.0 grams						
Style Designator:						
Terminals one edge						
Test Data Document:						
81349-mil-r-55182 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification						

format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-r-55182/9 government specification

## NSN 5905-01-254-5988

Film Fixed Resistor - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A001a0