Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-255-7286

## Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-10.0/+10.0

**Electrical Resistance:** 

281.800 kilohms

**Resistance Tolerance In Percent:** 

-0.010/+0.010

Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 125.0

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

145.0

Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-65.0/+145.0

**Inclosure Method:** 

Encapsulated

**Terminal Type:** 

Wire lead

## **Reactance Characteristic:**

Noninductive

Reliability Indicator:

Established

**Reliability Failure Rate Level In Percent:** 

0.010

**Terminal Length:** 

1.500 inches

#### **Body Diameter:**

0.250 inches

**Body Length:** 

0.500 inches

**Power Dissipation Rating In Watts:** 

0.150 free air

Style Designator:

Axial terminal each end

## Test Data Document:

81349-mil-r-39005 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-r-39005/4 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

# NSN 5905-01-255-7286

Wire Wound Fixed Resistor - Page 2 of 2

Fiig: A001a0

