NSN 5905-01-259-1902

Film Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-01-259-1902

-100.0 to 100.0 Electrical Resistance: 100.000 ohms Resistance Tolorance in Percent: -5.000 to 5.000 Ambient Tempurature in Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature in Deg Celsius At Zero Percent Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 Tempurature Range Of Tempurature Coefficient in Deg Celsius: -55.0 to 125.0 inclosure Method: Uninclosure Method: Uninclosed Terminal Type: Terminal Type: Terminal type per body style Reliability indicator: Not established Body Length: 0.050 inches Body Width: 0.050 inches Body Width: 0.050 inches Body Width: 0.050 inches Sody Height: 0.101 inches Power Dissipation Rating in Watts: 0.050 free air Style Designator: Termination pad each end Test Data Document: 0840-04135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: Na Unit of Measure:	Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
Resistance Tolorance in Percent: -5.000 to 5.000 Ambient Tempurature in Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature in Deg Celsius At Zero Percent Rated Power: 125.0 Ambient Tempurature Range Of Tempurature Coefficient in Deg Celsius: -55.0 to 125.0 Inclosure Method: Uninclosaed Terminal Type: Terminal Type: Terminal type per body style Reliability Indicator: Not established Body Length: 0.050 inches Body Width: 0.050 inches Body Height: 0.050 inches Power Dissipation Rating in Watts: 0.050	
Resistance Tolerance In Percent: -5.000 to 5.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0 to 125.0 Inclosure Method: Uninclosure	Electrical Resistance:
-5.000 to 5.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0 to 125.0 Inclosure Method: Uninclosed Terminal Type: Terminal Type: Terminal type per body style Reliability Indicator: Not established Body Length: 0.050 inches Body Width: 0.050 inches Body Width: 0.050 inches Sody Height: 0.010 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Terminality pad each end Test Data Document: 0.050 inches Sed-0-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: Na Unit Of Measure:	100.000 ohms
Ambient Tempurature In Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0 to 125.0 Inclosure Method: Uninclosed Terminal Type: Terminal Type: Terminal Type: Reliability Indicator: Not established Body Length: 0.050 inches Body Width: 0.050 inches Body Height: 0.050 inches Body Height: 0.050 inches Source Terminal type are body style Reliability Indicator: Terminal type are body style Reliability Indicator: Not established Source Terminal Type: Termination Length Rating In Watts: 0.050 inches Body Height: 0.050 inches Source Termination pad each end Test Data Document: Solosof ree air Style Designator: Termination pad each end Test Data Document: Solosof-Ace 315.132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc., excludes any specification, standard or other document that may be referenced in a basic governing drawing) Sheft Life: N/a Unit Of Measure:	Resistance Tolerance In Percent:
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0 to 125.0 to Inclosure Method: Uninclosed Terminal Type: Terminal type per body style Reliability Indicator: Not established Body Length: 0.050 inches Body Width: 0.050 inches Body Width: 0.050 inches Body Height: 0.050 free air Style Designator: Termination pad each end Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure:	-5.000 to 5.000
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0 to 125.0 Inclosure Method: Uninclosad Terminal Type: Terminal Type per body style Reliability Indicator: Not established Body Length: 0.050 inches Body Width: 0.050 inches Body Width: 0.050 inches Body Height: 0.050 inches Body Height: 0.050 free air Style Designator: Termination pad each end Test Data Document: 0840-0-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Ambient Tempurature In Deg Celsius At Full Rated Power:
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0 to 125.0 Inclosure Method: Uninclosed Terminal Type: Terminal Type per body style Reliability Indicator: Not established Body Length: 0.050 inches Body Width: 0.050 inches Body Width: 0.010 inches Body Height: 0.050 inches Body Height: 0	25.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0 to 125.0 Inclosure Method: Uninclosed Terminal Type: Terminal Type: Terminal type per body style Reliability Indicator: Not established Body Length: 0.050 inches Body Width: 0.050 inches Body Width: 0.050 inches Body Wight: 0.010 inches Power Dissipation Rating In Watts: 0.050 for air Style Designator: Termination pad each end Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: No Unit Of Measure: Demilitarization: No Flig:	Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
Inclosure Method: Uninclosed Terminal Type: Terminal type per body style Reliability Indicator: Not established Body Length: 0.050 inches Body Width: 0.050 inches Body Height: 0.050 inches Body Height: 0.010 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Termination pad each end Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	125.0
Inclosure Method: Uninclosed Terminal Type: Terminal type per body style Reliability Indicator: Not established Body Length: 0.050 inches Body Width: 0.050 inches Body Height: 0.010 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Terminalton pad each end Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Tempurature Range Of Tempurature Coefficient In Deg Celsius:
Uninclosed Terminal Type: Terminal type per body style Reliability Indicator: Not established Body Length: 0.050 inches Body Width: 0.050 inches Body Height: 0.010 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Termination pad each end Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	-55.0 to 125.0
Terminal Type: Terminal type per body style Reliability Indicator: Not established Body Length: 0.050 inches Body Width: 0.050 inches Body Height: 0.050 inches Body Height: 0.010 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Termination pad each end Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Inclosure Method:
Terminal type per body style Reliability Indicator: Not established Body Length: 0.050 inches Body Width: 0.050 inches Body Height: 0.010 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Termination pad each end Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Uninclosed
Reliability Indicator: Not established Body Length: 0.050 inches Body Width: 0.050 inches Body Height: 0.010 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Termination pad each end Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Terminal Type:
Note stablished Body Length: 0.050 inches Body Width: 0.050 inches Body Height: 0.010 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Termination pad each end Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Terminal type per body style
Body Length: 0.050 inches Body Width: 0.050 inches Body Height: 0.010 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Termination pad each end Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Reliability Indicator:
0.050 inches Body Width: 0.050 inches Body Height: 0.010 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Termination pad each end Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Not established
Body Width: 0.050 inches Body Height: 0.010 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Termination pad each end Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Body Length:
0.050 inches Body Height: 0.010 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Termination pad each end Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	0.050 inches
Body Height: 0.010 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Termination pad each end Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Body Width:
0.010 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Termination pad each end Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	0.050 inches
Power Dissipation Rating In Watts: 0.050 free air Style Designator: Termination pad each end Test Data Document: 0.3640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Body Height:
Style Designator: Termination pad each end Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	0.010 inches
Style Designator: Termination pad each end Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Power Dissipation Rating In Watts:
Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	0.050 free air
Test Data Document: 03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Style Designator:
03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Termination pad each end
excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Test Data Document:
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	03640-6135132 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
N/a Unit Of Measure: Demilitarization: No Fiig:	excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Unit Of Measure: Demilitarization: No Fiig:	Shelf Life:
Demilitarization: No Fiig:	N/a
No Fiig:	Unit Of Measure:
No Fiig:	
Fiig:	Demilitarization:
	No
A001a0	Fiig:
	A001a0