## NSN 5905-01-265-6449

Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-265-6449

| Tempurature Coefficient Of Resistance In Dam Der Der Coloius   |
|--|
| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:  |
| -10.0/+10.0  |
| Electrical Resistance:   |
| 12.030 kilohms  Resistance Tolerance In Percent:   |
|  |
| -0.100/+0.100  |
| Ambient Tempurature In Deg Celsius At Full Rated Power:  |
| 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  |
| 145.0  |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius:   |
| -65.0/+145.0   |
| Inclosure Method:  |
|  |
| Encapsulated  Terminal Type:   |
| Terminal Type: Wire lead   |
| Reactance Characteristic:  |
| Noninductive   |
| Reliability Indicator:   |
| Established  |
| Reliability Failure Rate Level In Percent:   |
| 0.010  |
| Terminal Length:   |
| 1.500 inches   |
|  |
| Body Diameter: 0.250 inches  |
| Body Length:   |
| 0.750 inches   |
|  |
| Power Dissipation Rating In Watts:  0.250 free air   |
|  |
| Style Designator:  Axial terminal each end   |
| Test Data Document:  |
| 81349-mil-r-39005 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain          |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).                            |
| Specification Data:  |
| 81349-mil-r-39005/3 government specification   |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
| onit of measure.   |
| Demilitarization:  |

No

## NSN 5905-01-265-6449

Wire Wound Fixed Resistor - Page 2 of 2



Fiig:

A001a0