Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-265-9510

# Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-10.0/+10.0

## **Electrical Resistance:**

2.100 kilohms

## **Resistance Tolerance In Percent:**

-1.000/+1.000

#### Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 125.0

## Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

145.0

## Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-65.0/+145.0

#### **Inclosure Method:**

Encapsulated

#### **Terminal Type:**

тепппа тур

# Wire lead

Reactance Characteristic:

## Noninductive

**Reliability Indicator:** 

Established

# **Reliability Failure Rate Level In Percent:**

0.010

## **Terminal Length:**

1.500 inches

## **Body Diameter:**

0.250 inches

## Body Length:

0.295 inches

## **Power Dissipation Rating In Watts:**

0.125 free air

## Style Designator:

Axial terminal each end

## Test Data Document:

81349-mil-r-39005 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# **Specification Data:**

81349-mil-r-39005/9 government specification

#### Shelf Life:

N/a

#### Unit Of Measure:

--

Demilitarization:

No

# NSN 5905-01-265-9510

Wire Wound Fixed Resistor - Page 2 of 2

Fiig: A001a0

