

View Online at https://aerobasegroup.com/nsn/5905-01-266-5351

Sectior	Quantity:
1	
Body S	tyle:
Rectan	gular
Reliabi	ity Indicator:
Not esta	ablished
Termin	al Length:
0.200 ir	ches
Shaft D	iameter:
Betwee	n 0.075 inches and 0.085 inches
Shaft L	ength:
Betwee	n 0.050 inches and 0.070 inches
Body L	ength:
Betwee	n 0.360 inches and 0.390 inches
Body V	/idth:
Betwee	n 0.360 inches and 0.390 inches
Body H	eight:
0.200 ir	ches
Shaft S	tyle:
Round,	slotted
Actuate	or Type:
Single s	haft
Effectiv	e Electrical Rotation In Deg Angular Rotation:
7200.0	
Maximu	Im Starting Torque:
5.00 inc	h-ounces
Maximu	ım Running Torque:
5.00 inc	h-ounces
Center	To Center Distance Between Terminals:
2.000 ir	ches
Termin	al Location:
Right ad	djacent side two rows
Mounti	ng Method:
Termina	al
Center	To Center Distance Between Terminal Rows:
1.000 ir	ches
Electric	al Resistance Per Section:
5.0 kilol	nms single section
	Actuator Travel In Angular Deg:
7200.0	
Center	To Center Distance Between Center Terminal And Outside Terminal
	ches



Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

150.0 single section

Power Dissipation Rating Per Section In Watts:

0.5 free air single section

Resistance Tolerance Per Section In Percent:

-10.0/+10.0 single section

Actuator Travel Control Feature:

Clutch

Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

85.0 single section

Terminal Type And Quantity:

3 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0