NSN 5905-01-267-0783

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-267-0783
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-260.0/+260.0 first temp coefficient
Electrical Resistance:
80.000 ohms
Resistance Tolerance In Percent:
-5.000/+5.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
350.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+350.0 temp range of first temp coefficient
Inclosure Method:
Encapsulated
Terminal Type:
Wire lead
Reliability Indicator:
Not established
Terminal Length:
1.750 inches
Body Diameter:
0.469 inches
Body Length:
2.000 inches
Power Dissipation Rating In Watts:
14.000 free air
Criticality Code Justification:
Zzzy
Style Designator:
Axial terminal each end
Test Data Document:
81348-mil-r-26 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-r-26/4 government specification
Reference Number Differentiating Characteristics:
Material will be in accordance with ships parts control center activity hx quality control, manufacturing and testing specifications
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

NSN 5905-01-267-0783

Inductive Wire Wound Fixed Resistor - Page 2 of 2



Fiig:

A001a0

Mil-std (military Standard):

Mil-r-26 spec.