## NSN 5905-01-269-4186

Precision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-269-4186 **Section Quantity: Body Style:** Rectangular, open element **Reliability Indicator:** Not established **Terminal Length:** 0.157 inches **Body Length:** 0.236 inches **Body Width:** 0.354 inches **Body Height:** 0.433 inches **Actuator Type:** Flush drive with slot-hole **Effective Electrical Rotation In Deg Angular Rotation:** 260.0 **Center To Center Distance Between Terminals:** 0.197 inches **Terminal Location:** Rear end **Mounting Method: Terminal Electrical Resistance Per Section:** 1.0 megohms single section **Rotary Actuator Travel In Angular Deg:** 260.0 **Center To Center Distance Between Center Terminal And Outside Terminal:** 0.098 inches Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius: -65.0/+125.0 single section **Power Dissipation Rating Per Section In Watts:** 0.200 free air single section **Resistance Tolerance Per Section In Percent:** -20.0/+20.0 single section **Actuator Travel Control Feature:** Stops **Terminal Type And Quantity:** 

3 pin

Purchase Description Identification:

57705-02-2223

## NSN 5905-01-269-4186

Precision Nonwire Wound Variable Resistor - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A002a0