Precision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-269-4188

# Section Quantity:

1

Body Style:

Rectangular, open element

Reliability Indicator:

Not established

**Terminal Length:** 

0.157 inches

**Body Length:** 

0.236 inches

**Body Width:** 

0.354 inches

Body Height:

0.433 inches

Actuator Type:

#### Flush drive with slot-hole

Effective Electrical Rotation In Deg Angular Rotation:

260.0

Center To Center Distance Between Terminals:

0.197 inches

**Terminal Location:** 

Rear end

## **Mounting Method:**

Terminal

**Electrical Resistance Per Section:** 

20.0 kilohms single section

Rotary Actuator Travel In Angular Deg:

260.0

Center To Center Distance Between Center Terminal And Outside Terminal:

0.098 inches

Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:

-65.0/+125.0 single section

#### **Power Dissipation Rating Per Section In Watts:**

0.200 free air single section

#### **Resistance Tolerance Per Section In Percent:**

-20.0/+20.0 single section

## **Actuator Travel Control Feature:**

Stops

Terminal Type And Quantity:

3 pin

#### **Purchase Description Identification:**

57705-02-2214

# NSN 5905-01-269-4188

Precision Nonwire Wound Variable Resistor - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A002a0