Precision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-270-5953

# Section Quantity:

1

Body Style:

Rectangular, open element

## **Reliability Indicator:**

Not established

### **Terminal Length:**

0.157 inches

**Body Length:** 

0.236 inches

**Body Width:** 

#### 0.354 inches

Body Height:

#### 0.433 inches

Actuator Type:

### Flush drive with slot-hole

### Effective Electrical Rotation In Deg Angular Rotation:

260.0

### Center To Center Distance Between Terminals:

0.197 inches

### **Terminal Location:**

Rear end

## **Mounting Method:**

Terminal

### **Electrical Resistance Per Section:**

500.0 kilohms single section

### Rotary Actuator Travel In Angular Deg:

260.0

## Center To Center Distance Between Center Terminal And Outside Terminal:

0.098 inches

## Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:

-65.0/+125.0 single section

### **Power Dissipation Rating Per Section In Watts:**

0.200 free air single section

### **Resistance Tolerance Per Section In Percent:**

-20.0/+20.0 single section

## Actuator Travel Control Feature:

Stops

# Terminal Type And Quantity:

3 pin

## Purchase Description Identification:

57705-02-2212

# NSN 5905-01-270-5953

Precision Nonwire Wound Variable Resistor - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0