NSN 5905-01-273-2934

Film Fixed Resistor - Page 1 of 2

No



View Online at https://aerobasegroup.com/nsn/5905-01-273-2934

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: |
|---|
| -100.0 to 100.0 |
| |
| Electrical Resistance: 280.000 ohms |
| Resistance Tolerance In Percent: |
| |
| -1.000 to 1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: |
| 70.0 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 150.0 |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius: |
| -55.0 to 150.0 |
| Inclosure Method: |
| |
| Encapsulated Terminal Types |
| Terminal Type: Wire lead |
| |
| Reliability Indicator: Established |
| Reliability Failure Rate Level In Percent: |
| 0.001 |
| |
| Terminal Length: 1.500 inches |
| Body Diameter: |
| · |
| 0.138 inches |
| Body Length: |
| 0.375 inches Power Dissipation Rating In Watts: |
| |
| 0.500 free air Unpackaged Unit Weight: |
| |
| 0.75 grams |
| Style Designator: Avial terminal each and |
| Axial terminal each end Test Pote Posyment |
| Test Data Document: 81349-mil-r-39017 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). |
| Specification Data: |
| 81349-mil-r-39017/2 government specification |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| ont of measure. |
| Demilitarization: |

NSN 5905-01-273-2934

Film Fixed Resistor - Page 2 of 2



Fiig:

A001a0