# NSN 5905-01-279-6350

Film Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-279-6350

### Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-5.0/+5.0 first temp coefficient

#### **Electrical Resistance:**

8.250 kilohms

### **Resistance Tolerance In Percent:**

-1.000/+1.000

#### Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 125.0

#### Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

175.0

### Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0/+125.0 temp range of first temp coefficient

#### **Inclosure Method:**

Encapsulated

#### **Terminal Type:**

reminar ryp

# Wire lead

Reliability Indicator:

Established

# Reliability Failure Rate Level In Percent:

0.010

#### Terminal Length:

Between 0.875 inches and 1.875 inches

#### **Body Length:**

Between 0.290 inches and 0.320 inches

#### **Body Width:**

Between 0.295 inches and 0.345 inches

#### **Body Height:**

Between 0.095 inches and 0.120 inches

# **Power Dissipation Rating In Watts:**

0.300 free air

#### End Application:

Lps control gage

Cubic Measure (non-core):

0.013 cubic inches

#### **Unpackaged Unit Weight:**

1.0 grams

# Style Designator:

Terminals one edge

#### **Test Data Document:**

81349-mil-r-55182 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-r-55182/9 government specification

# NSN 5905-01-279-6350

Film Fixed Resistor - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0

