## NSN 5905-01-291-6296

Film Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-291-6296

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:   |
|---|
| -50.0/+50.0   |
| Electrical Resistance:  |
| 56.000 kilohms  |
| Resistance Tolerance In Percent:  |
| -1.000/+1.000   |
| Ambient Tempurature In Deg Celsius At Full Rated Power:   |
| 25.0  |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:   |
| 275.0   |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius:  |
| -15.0/+105.0  |
| Inclosure Method:   |
| Encapsulated  |
| Terminal Type:  |
| Wire lead   |
| Reliability Indicator:  |
| Not established   |
| Terminal Length:  |
| 1.370 inches  |
| Body Diameter:  |
| Between 0.2000 inches and 0.260 inches  |
| Body Length:  |
| Between 0.890 inches and 1.010 inches   |
| Power Dissipation Rating In Watts:  |
| 4.000 free air  |
| End Application:  |
| Lan target po   |
| Cubic Measure (non-core):   |
| 0.054 cubic inches  |
| Unpackaged Unit Weight:   |
| 5.5 grams   |
| Precious Material And Location:   |
| Terminals gold  |
| Precious Material (non-core):   |
| Gold  |
| Style Designator:   |
| Axial terminal each end   |
| Test Data Document:   |
| 34860-60513147 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, |
| etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)                   |
| Shelf Life:   |

N/a

## NSN 5905-01-291-6296

Film Fixed Resistor - Page 2 of 2



|   |    | • • |             |          |  |
|---|----|-----|-------------|----------|--|
| ш | ın | 10  | <i>(</i> )+ | Measure: |  |
|   |    |     |             |          |  |

--

Demilitarization:

No

Fiig:

A001a0