NSN 5905-01-291-8011

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-291-8011 **Section Quantity: Body Style:** Rectangular **Reliability Indicator:** Not established **Terminal Length:** 0.200 inches **Shaft Diameter:** 0.070 inches **Shaft Length:** Between 0.025 inches and 0.045 inches **Body Length:** Between 0.230 inches and 0.270 inches **Body Width:** Between 0.165 inches and 0.185 inches **Body Height:** Between 0.230 inches and 0.270 inches **Shaft Style:** Round, slotted **Actuator Type:** Single shaft **Maximum Starting Torque:** 3.00 inch-ounces **Maximum Running Torque:** 3.00 inch-ounces **Center To Center Distance Between Terminals:** 0.200 inches **End Application:** F-15 acft **Terminal Location:** Rear end **Mounting Method: Terminal Electrical Resistance Per Section:** 10.0 kilohms single section Center To Center Distance Between Center Terminal And Outside Terminal: 0.100 inches

Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

150.0 single section

Power Dissipation Rating Per Section In Watts:

0.25 free air single section

NSN 5905-01-291-8011

No Fiig: A002a0

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Resistance Tolerance Per Section In Percent:
-5.0/+5.0 single section
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
85.0 single section
Terminal Type And Quantity:
3 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization: