NSN 5905-01-293-4219

Hybrid Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-293-4219

Section Quantity:
1
Body Style:
Rectangular
Terminal Length:
0.300 inches
Body Length:
0.375 inches
Body Width:
0.150 inches
Body Height:
0.375 inches
Actuator Type:
Slider
Maximum Starting Torque:
5.00 inch-ounces
Center To Center Distance Between Terminals:
0.100 inches
Mounting Facility Quantity:
2
Terminal Location:
Longitudinally positioned on the circumference
Mounting Method:
Terminal
Center To Center Distance Between Terminal Rows:
0.100 inches
Features Provided:
Humidity proof
Electrical Resistance Per Section:
1.0 kilohms single section
Center To Center Distance Between Center Terminal And Outside Terminal:
0.100 inches
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:
-100.0/+100.0 single section
Power Dissipation Rating Per Section In Watts:
0.5 free air single section
Resistance Tolerance Per Section In Percent:
-10.0/+10.0 single section
Actuator Travel Control Feature:
Continuous motion and stops and clutch
Standard Taper Curve Per Section:

A single section

NSN 5905-01-293-4219

Hybrid Variable Resistor - Page 2 of 2



Special	Features:
---------	-----------

Multiturn cermet trimmers, 0.375 in. Sq

Terminal Type And Quantity:

3 pin and 3 screw

Shelf Life:

Unit Of Measure:

N/a

Demilitarization:

No

Fiig:

A002a0