NSN 5905-01-299-6225

Film Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-01-299-6225

25.000 ohms Resistance Tolerance In Percent: -5.000 to 5.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 230.0 Inclosure Method: Encapsulated Terminal Type: Ferrule Reliability Indicator: Not established Terminal Length: Between 0.495 inches and 0.750 inches Body Diameter: Between 0.719 inches and 0.781 inches
-5.000 to 5.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 230.0 Inclosure Method: Encapsulated Terminal Type: Ferrule Reliability Indicator: Not established Terminal Length: Between 0.495 inches and 0.750 inches Body Diameter:
Ambient Tempurature In Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 230.0 Inclosure Method: Encapsulated Terminal Type: Ferrule Reliability Indicator: Not established Terminal Length: Between 0.495 inches and 0.750 inches Body Diameter:
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 230.0 Inclosure Method: Encapsulated Terminal Type: Ferrule Reliability Indicator: Not established Terminal Length: Between 0.495 inches and 0.750 inches Body Diameter:
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 230.0 Inclosure Method: Encapsulated Terminal Type: Ferrule Reliability Indicator: Not established Terminal Length: Between 0.495 inches and 0.750 inches Body Diameter:
230.0 Inclosure Method: Encapsulated Terminal Type: Ferrule Reliability Indicator: Not established Terminal Length: Between 0.495 inches and 0.750 inches Body Diameter:
Inclosure Method: Encapsulated Terminal Type: Ferrule Reliability Indicator: Not established Terminal Length: Between 0.495 inches and 0.750 inches Body Diameter:
Encapsulated Terminal Type: Ferrule Reliability Indicator: Not established Terminal Length: Between 0.495 inches and 0.750 inches Body Diameter:
Terminal Type: Ferrule Reliability Indicator: Not established Terminal Length: Between 0.495 inches and 0.750 inches Body Diameter:
Ferrule Reliability Indicator: Not established Terminal Length: Between 0.495 inches and 0.750 inches Body Diameter:
Reliability Indicator: Not established Terminal Length: Between 0.495 inches and 0.750 inches Body Diameter:
Not established Terminal Length: Between 0.495 inches and 0.750 inches Body Diameter:
Terminal Length: Between 0.495 inches and 0.750 inches Body Diameter:
Between 0.495 inches and 0.750 inches Body Diameter:
Body Diameter:
•
Between 0.719 inches and 0.781 inches
Body Length:
Between 4.938 inches and 5.063 inches
Power Dissipation Rating In Watts:
30.000 free air
End Application:
An/mpn-14k mo
Style Designator:
Axial terminal each end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A001a0