

View Online at <https://aerobasegroup.com/nsn/5905-01-302-3264>

**Temperature Coefficient Of Resistance In Ppm Per Deg Celsius:**

-30.0/+30.0

**Electrical Resistance:**

32.400 ohms

**Resistance Tolerance In Percent:**

-3.000/+3.000

**Ambient Temperature In Deg Celsius At Full Rated Power:**

25.0

**Ambient Temperature In Deg Celsius At Zero Percent Rated Power:**

275.0

**Temperature Range Of Temperature Coefficient In Deg Celsius:**

-55.0/+275.0

**Inclosure Method:**

Encased

**Terminal Type:**

Tab, solder lug

**Reliability Indicator:**

Not established

**Terminal Length:**

Between 0.407 inches and 0.469 inches

**Body Diameter:**

Between 0.844 inches and 0.906 inches

**Mounting Bushing Length:**

Between 0.515 inches and 0.577 inches

**Body Length:**

Between 0.781 inches and 0.843 inches

**Power Dissipation Rating In Watts:**

25.000 free air

**Mounting Bushing Diameter:**

Between 0.594 inches and 0.656 inches

**End Application:**

Id panel

**Cubic Measure (non-core):**

1.199 cubic inches

**Unpackaged Unit Weight:**

22.0 grams

**Style Designator:**

Axial terminals one end

**Test Data Document:**

26512-gr815ec drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A001a0