NSN 5905-01-303-0325

green; working v 50

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-303-0325

Section Quantity:
1
Body Style:
Rectangular
Reliability Indicator:
Not established
Terminal Length:
0.200 inches
Body Length:
0.260 inches
Body Width:
0.175 inches
Body Height:
0.260 inches
Shaft Style:
Round
Actuator Type:
Single shaft
Maximum Stop Torque:
3.00 inch-ounces
Center To Center Distance Between Terminals:
0.200 inches
End Application:
Alq-135b countermeasure
Terminal Location:
Longitudinally positioned on the circumference
Electrical Resistance Per Section:
10.0 kilohms single section
Center To Center Distance Between Center Terminal And Outside Terminal:
0.100 inches
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
150.0 single section
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:
-25.0/+25.0 single section
Power Dissipation Rating Per Section In Watts:
0.2 free air single section
Resistance Tolerance Per Section In Percent:
-5.0/+5.0 single section
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
85.0 single section
Special Features:

Oper temp m55 degrees c to 150 degrees c; stor temp m65 degrees c to 150 degrees c; terminal strength 2 lbs; case matl diallyl phthalate

NSN 5905-01-303-0325

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



reminal Type And Quantity:
3 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A002a0