## NSN 5905-01-305-3486

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-305-3486			
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:			
-100.0/+100.0			
Electrical Resistance:			
3.600 kilohms			
Resistance Tolerance In Percent:			
-2.000/+2.000			
Ambient Tempurature In Deg Celsius At Full Rated Power:			
70.0			
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:			
125.0			
Tempurature Range Of Tempurature Coefficient In Deg Celsius:			
-55.0/ <b>+</b> 125.0			
Inclosure Method:			
Encapsulated			
Terminal Quantity:			
16			
Terminal Type:			
Tab, solder lug			
Reliability Indicator:			
Not established			
Terminal Length:			
Between 0.145 inches and 0.215 inches			
Body Length:			
Between 0.784 inches and 0.876 inches			
Body Width:			
Between 0.240 inches and 0.305 inches			
Body Height:			
0.180 inches			
Schematic Diagram Designator:			
Ladder network			
Power Dissipation Rating In Watts:			
1.500 total network			
Terminal Width:			
Between 0.015 inches and 0.022 inches			
Identical Value Resistor Quantity:			
15 each resistor			
Unpackaged Unit Weight:			
1.5 grams			
Style Designator:			
Dual inline			
Test Data Document:			

81349-mil-r-83401 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## NSN 5905-01-305-3486

Film Fixed Resistor Network - Page 2 of 2



Spec	ifica	tion	Data:
------	-------	------	-------

81349-mil-r-83401/2 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A001a0