NSN 5905-01-306-2314

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-306-2314

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-300.0/+300.0 second temp coefficient

Electrical Resistance:

9.090 kilohms 4th intermediate resistance value

Resistance Tolerance In Percent:

-5.000/+5.000 lowest resistance value

Ambient Tempurature In Deg Celsius At Full Rated Power:

70.0

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

125.0

Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0/+125.0 temp range of second temp coefficient

Inclosure Method:

Encapsulated

Terminal Quantity:

16

Terminal Type:

Tab, solder lug

Reliability Indicator:

Not established

Terminal Length:

Between 0.125 inches and 0.200 inches

Body Length:

Between 0.740 inches and 0.870 inches

Body Width:

0.410 inches

Body Height:

Between 0.065 inches and 0.130 inches

Power Dissipation Rating In Watts:

1.000 total network

Terminal Width:

Between 0.014 inches and 0.023 inches

End Application:

Trainerguided

Identical Value Resistor Quantity:

4 highest resistance value

Unpackaged Unit Weight:

1.5 grams

Style Designator:

Dual inline

Specification Data:

51215-v510-00036 manufacturers source control

NSN 5905-01-306-2314

Film Fixed Resistor Network - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0