NSN 5905-01-314-5030

Thermal Resistor - Page 1 of 2

Shelf Life:

N/a



View Online at https://aerobasegroup.com/nsn/5905-01-314-5030

| Reliability Indicator: |
|---|
| Not established |
| Terminal Length: |
| 1.500 inches |
| Body Outside Diameter: |
| 0.060 inches |
| Body Width: |
| 0.076 inches |
| Maximum Power Dissipation Rating: |
| 0.25 watts |
| Ambient Tempurature At Full Rated Power: |
| 25.0 degrees celsius |
| Maximum Operating Temp: |
| 150.0 degrees celsius |
| Thermal Time Constant In Seconds: |
| 3.2 |
| Power Dissipation Constant In Milliwatts Per Deg Celsius: |
| 2.0 |
| Zero Power Tempurature Coefficient Of Resistance In Percent Per Deg Celsius: |
| -4.40 |
| Tempurature Points For Resistance Readings At Zero Power: |
| 75.0 degrees celsius 5th resistance-temperature point |
| Zero Power Resistance At Specificationified Temp: |
| 9.0 kilohms 4th resistance-temperature point |
| Resistance Tolerance At A Specificationified Tempurature In Percent: |
| -9.0/+9.0 5th resistance-temperature point |
| End Application: |
| 5805-01-187-9399 switchboard, tel |
| Inclosure Type: |
| Encapsulated |
| Zero Power Resistance: |
| 25.000 kilohms |
| Zero Power Resistance Tolerance In Percent At Reference Temp: |
| -5.0/+5.0 |
| Style Designator: |
| Disk |
| Test Data Document: |
| 95266-305-00006-03 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, |
| etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) |
| Terminal Type And Quantity: |
| 2 wire lead |

NSN 5905-01-314-5030

Thermal Resistor - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A086a0

