## NSN 5905-01-314-6315

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-314-6315

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:   |
|---|
| -150.0/+150.0   |
| Electrical Resistance:  |
| 620.000 ohms  |
| Resistance Tolerance In Percent:                                |
| -2.000/+2.000   |
| Ambient Tempurature In Deg Celsius At Full Rated Power:         |
| 25.0  |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 85.0  |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius:    |
| -55.0/+85.0   |
| Inclosure Method:   |
| Encapsulated  |
| Terminal Quantity:  |
| 6   |
| Terminal Type:  |
| Tab, solder lug   |
| Reliability Indicator:  |
| Not established   |
| Terminal Length:  |
| Between 0.115 inches and 0.145 inches                           |
| Body Length:  |
| 0.690 inches  |
| Body Width:   |
| 0.130 inches  |
| Body Height:  |
| 0.350 inches  |
| Schematic Diagram Designator:                                   |
| Series network  |
| Power Dissipation Rating In Watts:                              |
| 0.125 total network   |
| Terminal Width:   |
| Between 0.013 inches and 0.019 inches                           |
| End Application:  |
| 5805-01-187-9399 switchboard, telephone                         |
| Identical Value Resistor Quantity:                              |
| 2 highest resistance value                                      |
|   |
| Style Designator:   |
| Style Designator: Single inline                                 |

N/a

## NSN 5905-01-314-6315

Film Fixed Resistor Network - Page 2 of 2



|   | 1  | :. | ~  | 84  |    |    |      |   |
|---|----|----|----|-----|----|----|------|---|
| ι | JN | IT | UΤ | IVI | ea | Sι | ire: | • |

--

Demilitarization:

No

Fiig:

A001a0