NSN 5905-01-317-9312

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-317-9312		
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:		
-50.0/+50.0		
Electrical Resistance:		
69.800 kilohms		
Resistance Tolerance In Percent:		
-0.100/+0.100		
Ambient Tempurature In Deg Celsius At Full Rated Power:		
70.0		
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:		
125.0		
Tempurature Range Of Tempurature Coefficient In Deg Celsius:		
-55.0/+125.0		
Inclosure Method:		
Encapsulated		
Terminal Quantity:		
14		
Terminal Type:		
Tab, solder lug		
Reliability Indicator:		
Not established		
Terminal Length:		
Between 0.125 inches and 0.150 inches		
Body Length:		
Between 0.695 inches and 0.785 inches		
Body Width:		
Between 0.240 inches and 0.305 inches		
Body Height:		
0.135 inches		
Schematic Diagram Designator:		
Ladder network		
Power Dissipation Rating In Watts:		
1.300 total network		
Terminal Width:		
Between 0.015 inches and 0.022 inches		
End Application:		
Radar weapon		
Identical Value Resistor Quantity:		
13 each resistor		
Unpackaged Unit Weight:		
1.3 grams		

Style Designator:

Dual inline

NSN 5905-01-317-9312

Film Fixed Resistor Network - Page 2 of 2



Test Data Document:

81349-mil-r-83401 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-r-83401/1	government:	specification
---------------------	-------------	---------------

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0