Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-318-4005

### Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-100.0/+100.0

**Electrical Resistance:** 

1.000 megohms

**Resistance Tolerance In Percent:** 

-2.000/+2.000

Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 70.0

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

125.0

Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0/+125.0

**Inclosure Method:** 

Encapsulated

**Terminal Quantity:** 

14

**Terminal Type:** 

Tab, solder lug

Reliability Indicator:

Not established

Terminal Length:

Between 0.125 inches and 0.150 inches

**Body Length:** 

Between 0.695 inches and 0.785 inches

**Body Width:** 

Between 0.240 inches and 0.305 inches

**Body Height:** 

0.135 inches

Schematic Diagram Designator:

Isolated array

**Power Dissipation Rating In Watts:** 

1.400 total network

**Terminal Width:** 

Between 0.015 inches and 0.022 inches

**End Application:** 

Kok-13/tsec

Cubic Measure:

0.040 cubic inches

Identical Value Resistor Quantity:

7 each resistor

Unpackaged Unit Weight:

1.3 grams

# NSN 5905-01-318-4005

Film Fixed Resistor Network - Page 2 of 2



## Style Designator:

Dual inline

# Test Data Document:

81349-mil-r-83401 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-r-83401/1 government specification

Shelf Life: N/a Unit Of Measure: --Demilitarization:

No

Fiig:

A001a0