## NSN 5905-01-320-1578

Film Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-320-1578

### Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-5.0 to 5.0

**Electrical Resistance:** 

487.000 ohms

**Resistance Tolerance In Percent:** 

-0.100 to 0.100

Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 125.0

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

150.0

- Tempurature Range Of Tempurature Coefficient In Deg Celsius:
- -55.0 to 125.0
- **Inclosure Method:**
- Encapsulated
- **Terminal Type:**
- Wire lead
- Reliability Indicator:
- Established
- Reliability Failure Rate Level In Percent:

1.000

Terminal Length:

Between 0.875 inches and 1.875 inches

### **Body Length:**

Between 0.282 inches and 0.312 inches

### **Body Width:**

Between 0.300 inches and 0.355 inches

### **Body Height:**

Between 0.090 inches and 0.125 inches

### **Power Dissipation Rating In Watts:**

0.300 free air

#### End Application:

Mk88 mod all

#### **Unpackaged Unit Weight:**

2.0 grams

### Style Designator:

Terminals one edge

### **Test Data Document:**

81349-mil-r-122 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

### **Specification Data:**

81349-mil-r-122/1 government specification

Shelf Life:

N/a

# NSN 5905-01-320-1578

Film Fixed Resistor - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A001a0

