## NSN 5905-01-321-4898

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-321-4898

| ·   |
|---|
| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:   |
| -50.0/+50.0   |
| Electrical Resistance:  |
| 3.060 ohms  |
| Resistance Tolerance In Percent:                                |
| -3.000/+3.000   |
| Ambient Tempurature In Deg Celsius At Full Rated Power:         |
| 25.0  |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 270.0   |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius:    |
| -55.0/+275.0  |
| Inclosure Method:   |
| Encased   |
| Terminal Type:  |
| Tab, solder lug   |
| Reliability Indicator:  |
| Not established   |
| Terminal Length:  |
| 0.780 inches  |
| Body Diameter:  |
| Between 1.500 inches and 2.000 inches                           |
| Mounting Bushing Length:  |
| Between 0.939 inches and 1.001 inches                           |
| Body Length:  |
| 2.500 inches  |
| Power Dissipation Rating In Watts:                              |
| 100.000 free air  |
| Mounting Bushing Diameter:                                      |
| 1.250 inches  |
| End Application:  |
| 1425-01-166-2187 launcher station                               |
| Cubic Measure (non-core):                                       |
| 7.850 cubic inches  |
| Unpackaged Unit Weight:   |
| 186.0 grams   |
| Style Designator:   |
| Axial terminals one end   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |

--

## NSN 5905-01-321-4898

Inductive Wire Wound Fixed Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0