NSN 5905-01-325-7391

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-325-7391 **Section Quantity: Body Style:** Rectangular **Reliability Indicator:** Not established **Body Length:** 11.5 millimeters **Body Width:** 15.0 millimeters **Body Height:** 18.5 millimeters **Actuator Type:** Flush drive with slot-hole **Effective Electrical Rotation In Deg Angular Rotation:** Between 200.0 and 240.0 **Fragility Factor:** Moderately rugged **End Application:** Test set **Terminal Location:** Rear end **Mounting Method:** Tab and terminal **Electrical Resistance Per Section:** 1.5 kilohms single section **Rotary Actuator Travel In Angular Deg:** Between 230.0 and 250.0 **Power Dissipation Rating Per Section In Watts:** 0.25 free air single section **Resistance Tolerance Per Section In Percent:** -20.0/+20.0 single section **Actuator Travel Control Feature:** Stops **Standard Taper Curve Per Section:** A single section **Terminal Type And Quantity:** 2 tab, solder lug Shelf Life:

N/a **Unit Of Measure:**

NSN 5905-01-325-7391

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A002a0