## NSN 5905-01-326-0512

Film Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-326-0512

**Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:** -25.0 to 25.0 **Electrical Resistance:** 1.010 kilohms **Resistance Tolerance In Percent:** -0.100 to 0.100 Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 **Tempurature Range Of Tempurature Coefficient In Deg Celsius:** -55.0 to 175.0 **Inclosure Method:** Encapsulated **Terminal Type:** Wire lead Mil-std-1276 Wire Lead Type Designator: С **Reliability Indicator:** Established Reliability Failure Rate Level In Percent: 0.001 **Terminal Length:** Between 1.000 inches and 1.625 inches **Body Diameter:** Between 0.050 inches and 0.080 inches **Body Length:** Between 0.130 inches and 0.170 inches **Power Dissipation Rating In Watts:** 0.050 free air **End Application:** F15 acft **Unpackaged Unit Weight:** 0.11 grams **Style Designator:** Axial terminal each end **Test Data Document:** 81349-mil-r-55182 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Specification Data:** 

N/a

Shelf Life:

81349-mil-r-55182/7 government specification

## NSN 5905-01-326-0512

Film Fixed Resistor - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A001a0