

View Online at <https://aerobasegroup.com/nsn/5905-01-326-2684>

Electrical Resistance:

3.830 kilohms

Resistance Tolerance In Percent:

-1.000/+1.000

Ambient Temperature In Deg Celsius At Full Rated Power:

70.0

Ambient Temperature In Deg Celsius At Zero Percent Rated Power:

150.0

Inclosure Method:

Encapsulated

Terminal Quantity:

6

Terminal Type:

Pin

Reliability Indicator:

Not established

Terminal Length:

0.125 inches

Body Length:

0.648 inches

Body Width:

0.100 inches

Body Height:

0.250 inches

Schematic Diagram Designator:

Isolated array

Power Dissipation Rating In Watts:

0.001 each resistor and 0.019 each resistor and 0.016 each resistor

End Application:

Csa test set; nimitz class cvn, ticonderoga class cg (47), supply class aoe, whidbey island class lsd, spruance class dd (963), forrestal class cv, arleigh burke class ddg, oliver perry class ffg, kidd class ddg; engine, aircraft tf-33-pw-102 (c-135e, ec-135h/k/p)

Identical Value Resistor Quantity:

1 highest resistance value

Criticality Code Justification:

Feat

Special Features:

Weapon system essential

Style Designator:

Single inline

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A001a0