

View Online at https://aerobasegroup.com/nsn/5905-01-326-2687

Section	Quantity:

1

Body Style:

Rectangular

**Reliability Indicator:** 

Not established

**Terminal Length:** 

0.125 inches

**Body Length:** 

0.395 inches

- **Body Width:**
- 0.245 inches

**Body Height:** 

# 0.395 inches

Shaft Style:

#### Round, slotted

Actuator Type:

Single shaft

# Effective Electrical Rotation In Deg Angular Rotation:

6120.0

### Maximum Starting Torque:

5.00 inch-ounces

### Maximum Running Torque:

5.00 inch-ounces

#### **Fragility Factor:**

Moderately rugged

### **End Application:**

Csa test set

### **Terminal Location:**

Rear end

### Mounting Method:

Terminal

#### **Cubic Measure:**

0.038 cubic inches

#### **Electrical Resistance Per Section:**

200.0 ohms single section

### **Rotary Actuator Travel In Angular Deg:**

6120.0

# Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

105.0 single section

# Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:

-100.0/+100.0 single section

# NSN 5905-01-326-2687 Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



**Power Dissipation Rating Per Section In Watts:** 

0.5 free air single section

# **Resistance Tolerance Per Section In Percent:**

-10.0/+10.0 single section

# Actuator Travel Control Feature:

Clutch

# Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

70.0 single section

Standard Taper Curve Per Section:

A single section

# Terminal Type And Quantity:

3 pin

Shelf Life:

N/a

### Unit Of Measure:

--

# Demilitarization:

No

## Fiig:

A002a0