## NSN 5905-01-327-4281

No

Noninductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-327-4281

**Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:** 

| -5.0/+5.0  |
|--|
| Electrical Resistance:   |
| 1.127 kilohms  |
| Resistance Tolerance In Percent:   |
| -0.050/+0.050  |
| Ambient Tempurature In Deg Celsius At Full Rated Power:  |
| 85.0   |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  |
| 145.0  |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius:   |
| +0.0/+85.0   |
| Inclosure Method:  |
| Encapsulated   |
| Terminal Type:   |
| Wire lead  |
| Reliability Indicator:   |
| Not established  |
| Terminal Length:   |
| 1.000 inches   |
| Body Length:   |
| Between 0.285 inches and 0.305 inches  |
| Body Width:  |
| Between 0.310 inches and 0.330 inches  |
| Body Height:   |
| Between 0.090 inches and 0.110 inches  |
| Power Dissipation Rating In Watts:   |
| 0.100 free air   |
| End Application:   |
| Mk 82 mod 5 c  |
| Cubic Measure (non-core):  |
| 0.009 cubic inches   |
| Style Designator:  |
| Terminals one edge   |
| Test Data Document:  |
| 10001-3221253 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; |
| excludes any specification, standard or other document that may be referenced in a basic governing drawing)                              |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |
| Demilitarization:  |

## NSN 5905-01-327-4281

Noninductive Wire Wound Fixed Resistor - Page 2 of 2



Fiig:

A001a0