## NSN 5905-01-327-4631

A001a0

Noninductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-01-327-4631

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:   |
|---|
| -5.0/+5.0   |
| Electrical Resistance:  |
| 13.725 kilohms  |
| Resistance Tolerance In Percent:  |
| -0.050/+0.050   |
| Ambient Tempurature In Deg Celsius At Full Rated Power:   |
| 85.0  |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius:  |
| +0.0/+85.0  |
| Inclosure Method:   |
| Encapsulated  |
| Terminal Type:  |
| Wire lead   |
| Reliability Indicator:  |
| Not established   |
| Terminal Length:  |
| 1.000 inches  |
| Body Length:  |
| Between 0.285 inches and 0.305 inches   |
| Body Width:   |
| Between 0.310 inches and 0.330 inches   |
| Body Height:  |
| Between 0.090 inches and 0.110 inches   |
| Power Dissipation Rating In Watts:  |
| 0.100 free air  |
| End Application:  |
| Mk 82 mod 5 c   |
| Cubic Measure (non-core):   |
| 0.009 cubic inches  |
| Style Designator:   |
| Terminals one edge  |
| Test Data Document:   |
| 10001-3221253 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc. |
| excludes any specification, standard or other document that may be referenced in a basic governing drawing)                             |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No No   |
| Fila:   |