NSN 5905-01-333-0029

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-333-0029

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:						
-100.0/+100.0						
Electrical Resistance:						
10.000 kilohms						
Resistance Tolerance In Percent:						
-2.000/+2.000						
Ambient Tempurature In Deg Celsius At Full Rated Power:						
25.0						
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:						
125.0						
Tempurature Range Of Tempurature Coefficient In Deg Celsius:						
-55.0/+125.0						
Inclosure Method:						
Encapsulated						
Terminal Quantity:						
16						
Terminal Type:						
Tab, solder lug						
Reliability Indicator:						
Not established						
Terminal Length:						
0.040 inches						
Body Length:						
Between 0.432 inches and 0.448 inches						
Body Width:						
Between 0.212 inches and 0.228 inches						
Body Height:						
Between 0.072 inches and 0.088 inches						
, •						
Between 0.072 inches and 0.088 inches						
Between 0.072 inches and 0.088 inches Schematic Diagram Designator:						
Between 0.072 inches and 0.088 inches Schematic Diagram Designator: Isolated array						
Between 0.072 inches and 0.088 inches Schematic Diagram Designator: Isolated array Power Dissipation Rating In Watts:						
Between 0.072 inches and 0.088 inches Schematic Diagram Designator: Isolated array Power Dissipation Rating In Watts: 0.750 total network						
Between 0.072 inches and 0.088 inches Schematic Diagram Designator: Isolated array Power Dissipation Rating In Watts: 0.750 total network Terminal Width:						
Between 0.072 inches and 0.088 inches Schematic Diagram Designator: Isolated array Power Dissipation Rating In Watts: 0.750 total network Terminal Width: Between 0.010 inches and 0.026 inches						
Between 0.072 inches and 0.088 inches Schematic Diagram Designator: Isolated array Power Dissipation Rating In Watts: 0.750 total network Terminal Width: Between 0.010 inches and 0.026 inches End Application:						
Between 0.072 inches and 0.088 inches Schematic Diagram Designator: Isolated array Power Dissipation Rating In Watts: 0.750 total network Terminal Width: Between 0.010 inches and 0.026 inches End Application: Intercom set						
Between 0.072 inches and 0.088 inches Schematic Diagram Designator: Isolated array Power Dissipation Rating In Watts: 0.750 total network Terminal Width: Between 0.010 inches and 0.026 inches End Application: Intercom set Identical Value Resistor Quantity:						
Between 0.072 inches and 0.088 inches Schematic Diagram Designator: Isolated array Power Dissipation Rating In Watts: 0.750 total network Terminal Width: Between 0.010 inches and 0.026 inches End Application: Intercom set Identical Value Resistor Quantity: 8 each resistor						

N/a

NSN 5905-01-333-0029

Film Fixed Resistor Network - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A001a0